

Test Report



Report No. A2230402541101007R1

Page 1 of 6

Company Name DONG GUAN KOHOKU ELECTRONICS CO.,LTD

shown on Report

Address NO. 1, XIALINGBEI SECTION, LIAOCHENG MIDDLE ROAD, LIAOBU TOWN, DONGGUAN CITY

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name LEAD WIRE
Part No. TPCH
Color Silver White
Item No. KG5L1437D084/H321
Sample Received Date Aug. 10, 2023
Testing Period Aug. 10, 2023 to Aug. 15, 2023

Test Requested As specified by client, to screen the 73 substances of very high concern(SVHC) under Regulation (EC) No 1907/2006 of REACH in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

Summary According to the analytical results, concentrations of 73 SVHC substances are all less than 0.1%(w/w) in the submitted sample(s).



Approved by

Hill Zheng

Date

Aug. 17, 2023

Hill Zheng
Technical Manager

No. R411771626

Centre Testing International Group Co.,Ltd.

CTI Building, Xing Dong Community, Xin'an Sub-district, Bao'an District, Shenzhen City, Guangdong Province, P.R. China

Test Report

Report No. A2230402541101007R1

Page 2 of 6

Test Result(s)

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)	Report Limit (%)
					007	
-	-	All tested SVHC (See the candidate list)	-	-	N.D.	-

Test Method:

Refer to US EPA3052:1996, US EPA 3050B:1996, US EPA 3060A:1996, EN 14582:2016 for sample pretreatment.

Analyzed by ICP-OES, UV-Vis, PLM, SEM and IC.

Sample/Part Description

No.	CTI Sample ID	Description
1	007	Metal with silvery plating

Remark:

- The table of tested result(s) only shows detected SVHC, and SVHC that below Report Limit are not reported. Please refer to the Candidate List of SVHC on next pages.
- w/w = weight by weight; 0.1% = 1000 mg/kg = 1000 ppm
- N.D. = Not Detected (<report limit)
- *: Concentration value of the substance by the conversion from the test results of certain elements.
- ** : All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
- ***: C.I.: Colour Index
- *****: Concentration value of Disodium tetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrate is evaluated by Disodium tetraborate, with no consider of the hydrate.
Concentration value of Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate is evaluated by Sodium perborate, with no consider of the hydrate.
- ^①: In view of the substances are established as UVCB substances(substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances. When the content of the representative substances is equal to or higher than 0.1% (w/w), the presence of the substance in the sample need to be further confirmed by checking MSDS or requesting from suppliers.
- ^②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.

Note:

This testing report revised “Color” and deleted “Material” based on the original report of No.A2230402541101007. This testing report displaces the original one which was invalid since the date of this testing report released.

Test Report

Report No. A2230402541101007R1

Page 3 of 6

Candidate List of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	1	Cobalt dichloride*	7646-79-9	231-589-4	0.01
I	2	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.01
I	3	Diarsenic trioxide*	1327-53-3	215-481-4	0.01
I	4	Sodium dichromate*	7789-12-0 10588-01-9	234-190-3	0.01
I	5	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.01
I	6	Triethyl arsenate*	15606-95-8	427-700-2	0.01
II	7	² Lead chromate	7758-97-6	231-846-0	0.05
II	8	² Lead chromate molybdate sulphate red (C.I. Pigment Red 104)***	12656-85-8	235-759-9	0.05
II	9	² Lead sulfochromate yellow (C.I. Pigment Yellow 34)***	1344-37-2	215-693-7	0.05
III	10	Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	0.01
III	11	² Disodium tetraborate, anhydrous*****	1330-43-4 12179-04-3 1303-96-4	215-540-4	0.01
III	12	² Tetraboron disodium heptaoxide, hydrate*****	12267-73-1	235-541-3	0.01
III	13	Sodium chromate*	7775-11-3	231-889-5	0.01
III	14	Potassium chromate*	7789-00-6	232-140-5	0.01
III	15	Ammonium dichromate*	7789-09-5	232-143-1	0.01
III	16	Potassium dichromate*	7778-50-9	231-906-6	0.01
IV	17	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.01
IV	18	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.01
IV	19	Cobalt(II) carbonate*	513-79-1	208-169-4	0.01
IV	20	Cobalt(II) diacetate*	71-48-7	200-755-8	0.01
IV	21	Chromium trioxide*	1333-82-0	215-607-8	0.01
IV	22	¹ Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01
V	23	Strontium chromate*	7789-06-2	232-142-6	0.01
VI	24	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.01
VI	25	Potassium hydroxyoctaoxidizincatedichromate*	11103-86-9	234-329-8	0.01
VI	26	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.01
VI	27	² Aluminosilicate Refractory Ceramic Fibres (RCF) **	-	-	0.05
VI	28	² Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	-	-	0.05
VI	29	Arsenic acid*	7778-39-4	231-901-9	0.01
VI	30	Calcium arsenate*	7778-44-1	231-904-5	0.01
VI	31	Trilead diarsenate*	3687-31-8	222-979-5	0.01
VI	32	Lead diazide, Lead azide*	13424-46-9	236-542-1	0.01
VI	33	Lead styphnate*	15245-44-0	239-290-0	0.01
VI	34	Lead dipicrate*	6477-64-1	229-335-2	0.01
VII	35	Diboron trioxide*	1303-86-2	215-125-8	0.01

Test Report

Report No. A2230402541101007R1

Page 4 of 6

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VII	36	Lead(II) bis(methanesulfonate)*	17570-76-2	401-750-5	0.01
VIII	37	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.01
VIII	38	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.01
VIII	39	Lead dinitrate*	10099-74-8	233-245-9	0.01
VIII	40	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.01
VIII	41	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.01
VIII	42	Lead titanium trioxide*	12060-00-3	235-038-9	0.01
VIII	43	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.01
VIII	44	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.01
VIII	45	Tetraethyllead*	78-00-2	201-075-4	0.01
VIII	46	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.01
VIII	47	Lead cyanamidate*	20837-86-9	244-073-9	0.01
VIII	48	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.01
VIII	49	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.01
VIII	50	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.01
VIII	51	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.01
VIII	52	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.01
VIII	53	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.01
VIII	54	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.01
VIII	55	Lead oxide sulfate*	12036-76-9	234-853-7	0.01
VIII	56	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.01
VIII	57	Silicic acid, lead salt*	11120-22-2	234-363-3	0.01
IX	58	Cadmium	7440-43-9	231-152-8	0.01
IX	59	Cadmium oxide*	1306-19-0	215-146-2	0.01
X	60	Cadmium sulphide*	1306-23-6	215-147-8	0.01
X	61	Lead di(acetate)*	301-04-2	206-104-4	0.01
XI	62	Cadmium chloride*	10108-64-2	233-296-7	0.01
XI	63	[®] Sodium perborate; perboric acid, sodium salt*****	15120-21-5 11138-47-9	239-172-9 234-390-0	0.01
XI	64	[®] Sodium peroxometaborate*****	7632-04-4	231-556-4	0.01
XII	65	Cadmium fluoride*	7790-79-6	232-222-0	0.01
XII	66	Cadmium sulphate*	10124-36-4 31119-53-6	233-331-6	0.01
XVIII	67	Cadmium nitrate*	10325-94-7	233-710-6	0.01
XVIII	68	Cadmium carbonate*	513-78-0	208-168-9	0.01
XVIII	69	Cadmium hydroxide*	21041-95-2	244-168-5	0.01
XIX	70	Lead	7439-92-1	231-100-4	0.01
XIX	71	Disodium octaborate*	12008-41-2	234-541-0	0.01
XXV	72	Orthoboric acid, sodium salt *	13840-56-7	237-560-2	0.01
XXVIII	73	Barium diboron tetraoxide*	13701-59-2	237-222-4	0.01


Test Report

Report No. A2230402541101007R1

Page 5 of 6

Appendix:

1. Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1 % weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
 - 1) Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.
 - 2) On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.
2. The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 3 and Annex II of REACH.
3. The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.
 - 1) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives 1999/45/EC.
 - 2) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC, but contains any substance that is included in the Candidate List in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures or ≥ 0.2 % by volume for gaseous mixtures.

Test Process

Test Report

Report No. A2230402541101007R1

Page 6 of 6

Photo(s) of the sample(s)



Statement:

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Without written approval of CTI, this report can't be reproduced except in full;
5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

*** End of Report ***